



# Febrife Fits

## Demam Sawan



**FEBRILE FIT IS NOT EPILEPSY / Demam sawan bukan epilepsy (sawan babi)**  
**INDICATIVE OF ANY BRAIN PROBLEMS / disebabkan oleh sebarang masalah otak.**






# What is Febrile Fits?

Fits occurring in association with fever ( $>38^{\circ}\text{C}$ ) in children between 6 months and 6 years of age, in whom there is no evidence of any brain/ other medical problem that cause fit.

## What to do?



### FIRST AID MEASURES DURING FITS

- DON'T PANIC
- Put your child in safe environment
- Put your child on their side to prevent choking on saliva/ vomit & to prevent from tongue falling back until child awake.
- Do not put anything in the mouth
- Try to record the time/ duration of fit & body movement during fit
- Go to nearby hospital
- Do not hold your child tightly- may cause injury
- Don't do CPR during fits
- Don't try to shake/wake your child- she/he will be unconcious

## Prognosis

- 01 3-4% will have a febrile seizure
- 02 ~30% recurrence risk after first fit
- 03 ~50% recurrence risk after second fit
- 04 High recurrence risk after third fit



\*No evidence of permanent neurological deficits following febrile seizures even frequent recurrent febrile seizures



# Apa itu Demam Sawan?



Demam sawan berlaku disebabkan oleh demam panas (>38C) pada kanak-kanak yang berusia 6 bulan sehingga 6 tahun yang normal.

## What to do?



Memakai baju yang nipis

Kawal Demam

Ubat Demam



## FIRST AID MEASURES DURING FITS

- Sentiasa tenang. Jangan panik.
- Letakkan anak anda di tempat yang selamat
- Pusingkan anak anda ke kedudukan mengiring. Ini akan mengelakkan anak anda tercekik dengan air liur/ muntah sendiri.
- Jangan masukkan sesuatu kedalam mulut anak
- Perhatikan anak anda, jika boleh catatkan pergerakan badan, anggota badan yang terlibat dan tempoh masa sawan.
- Bawa anak anda ke hospital berdekatan dengan segera
- Jangan pegang anak dengan kuat- boleh mengakibatkan kecederaan
- Jangan melakukan CPR/bantuan pernafasan dari mulut ke mulut

## Prognosis



- 01 3-4% kanak-kanak mengalami demam sawan
- 02 ~30% berisiko untuk sawan berulang selepas sawan kali pertama
- 03 ~50% berisiko untuk sawan berulang selepas sawan kali kedua
- 04 Risiko tinggi untuk sawan berulang semula selepas sawan kali ketiga



\*Tiada sebarang bukti yang mengatakan kanak-kanak akan mengalami kemerosotan neurologi selepas berlakunya sawan.